



'Near Patient' (not in a laboratory)		Laboratory <u>within</u> your Hospital			Laboratory <u>outside</u> your Hospital			Other (please specify)
	<i>specify)</i>							
<b>NMP22 (tumour marker)</b>	Lateral Flow							
	Immunoassay (EIA)							
	Other (please specify)							
<b>H. pylori</b>	Molecular							
	Lateral Flow							
	Culture							
	Immunoassay (EIA)			4,166				
	Other (please specify)							
<b>Campylobacter</b>	Molecular							
	Lateral Flow							
	Culture			10,541				
	Immunoassay (EIA)							
	Other (please specify)							

		'Near Patient' (not in a laboratory)			Laboratory <u>within</u> your Hospital			Laboratory <u>outside</u> your Hospital		Other (please specify)
<b>E. histolytica</b>	Molecular									
	Lateral Flow									
	Microscopy				1,044					
	Immunoassay (EIA)									
	Other (please specify)									
<b>Syphilis</b>	Molecular									
	Lateral Flow									
	Immunoassay (EIA)				51,070					
	Other (please specify)									
<b>Chlamydia</b>	Molecular				152,751					
	Lateral Flow									
	Immunoassay (EIA)									

'Near Patient' (not in a laboratory)				Laboratory <u>within</u> your Hospital			Laboratory <u>outside</u> your Hospital		Other (please specify)
	Other (please specify)								
<b>Norovirus</b>	Molecular			747					
	Lateral Flow								
	Immunoassay (EIA)								
	Other (please specify)								
<b>Adenovirus</b>	Molecular								
	Lateral Flow								
	Immunoassay (EIA)								
	Other (please specify)						5		
<b>Rotavirus</b>	Molecular								
	Lateral Flow								
	Immunoassay (EIA)			59					
	Other (please specify)								

**Heartlands, Good Hope and Solihull Hospital**

Tests at Heartlands, Good Hope, and Solihull Hospitals are performed under contract with Public Health England. To request this data, please contact them using the details below:

[foi@phe.gov.uk](mailto:foi@phe.gov.uk).

Please phone 020 8327 6920 for more information.